



Bid Number/बोली क्रमांक (बिड संख्या)[:] GEM/2024/B/4596359 Dated/दिनांक : 07-02-2024

Bid Document/ बिड दस्तावेज़

| Bid Details/बिड विवरण | |
|--|--|
| Bid End Date/Time/बिड बंद होने की तारीख/समय | 17-02-2024 18:00:00 |
| Bid Opening Date/Time/बिंड खुलने की तारीख/समय | 17-02-2024 18:30:00 |
| Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से) | 95 (Days) |
| Ministry/State Name/मंत्रालय/राज्य का नाम | Ministry Of Education |
| Department Name/विभाग का नाम | Department Of Higher Education |
| Organisation Name/संगठन का नाम | Indian Institute Of Technology (iit) |
| Office Name/कार्यालय का नाम | Kanpur |
| Total Quantity/कुल मात्रा | 50 |
| ltem Category/मद केटेगरी | Revolving Chair (V3) (Q2) , Chair Office (V2) (Q3) , Meeting Table (V2) (Q3) , Modular Work Stations (V2) (Q3) |
| Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) | 20 Lakh (s) |
| OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत दर्नओवर (गत 3 वर्षों का) | 40 Lakh (s) |
| Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष | 3 Year (s) |
| MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है | Yes |
| Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छ्ट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है | Yes |
| Document required from seller/विक्रेता से मांगे गए दस्तावेज़ | Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover, Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |

| Bid Details/बिड विवरण | |
|--|-----------------------------|
| Past Performance/विगत प्रदर्शन | 80 % |
| Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया | No |
| Type of Bid/बिंड का प्रकार | Two Packet Bid |
| Primary product category | Modular Work Stations (V2) |
| Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय | 2 Days |
| Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |
| Evaluation Method/मूल्यांकन पद्धति | Total value wise evaluation |

| Required/आवश्यकता | No |
|-------------------------|----|
| रिंच्या स्व/जापस्यपन्ता | NO |

ePBG Detail/ईपीबीजी विवरण

| Required/आवश्यकता | No |
|----------------------|-----|
| Required/silated/fil | INO |

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

| MII Purchase Preference/एमआईआई खरीद वरीयता | Yes |
|--|-----|
| | |

MSE Purchase Preference/एमएसई खरीद वरीयता

| MSE Purchase Preference/एमएसई खरीद वरीयता | Yes |
|---|-----|

- 1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and

- "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

 3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 6. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
- OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
- 7. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. 8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
- 9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Revolving Chair (V3) (8 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|-----------------------|--|--|
| GENERAL | Tilt mechanism | Synchronic tilt mechanism |
| REQUIREMENT | Locking mechanism | Tilt limiter |
| | Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation | Adjustable (up and down) |
| | Backrest type | Tilting type |
| MATERIAL AND | Pedestal Base | Nylon |
| MATERIAL THICKNESS | Armrest Material | PU molded over plastic inner |
| | Minimum density of foam used in seat | 30 kg per cubic meter |
| | Minimum thickness of PU foam used in seat | 30 mm |
| | Seat upholstery material | 100 % Polyester fabric |
| | Backrest base frame material | Hot pressed plywood |
| | Padding at backrest | PU foam |
| | The minimum density of foam used in the backrest | NA |
| | Minimum thickness of PU foam used in backrest | NA |
| | Backrest upholstery material | Mesh fabrics |
| | Upholstery material thickness /fabric substance used in seat /backrest | Minimum 200 GSM (for Woven fabric) |
| DIMENSION | Minimum width of seat | 500 mm |
| | Minimum depth of seat | 450 mm |
| | Minimum width of backrest | 450 mm |
| | Backrest height | High back (551 and above) |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|-------------------|--|--|
| | Minimum thickness of MS Plate Joining the understructure with Seat | 2 mm |
| | Minimum pedestal size (diameter) | 650 mm |
| COLOUR AND FINISH | Upholstered material seat color | Black |
| | Upholstered material backrest color | Black |

Additional Specification Parameters - Revolving Chair (V3) (8 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|--|--|
| Additional Technical Specification (mandatory compliance): | As per the Buyer added/uploaded bid-specific scope of work / Additional Scope of Work / ATC. |

^{*} Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-------------------|--|--|-----------------|---------------------------------|
| 1 | Kundan Kumar Pandey | 208016,Central Store & Purchase Section, IIT Kanpur, GT Road, Kalyanpur 208016 (UP) | 8 | 45 |

Chair Office (V2) (28 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|----------------------------------|---|---|
| GENERAL Chair Type | | Non-Revolving and Non-Tilting chair with Armrest |
| REQUIREMENT | Chair frame type | Cantilever |
| | Armrest type | Moulded armrest continuously fitted with seat bottom to backrest |
| | Seat type | Padded |
| | Backrest type | Padded |
| CHAIR FRAME | Frame Material Configuration | One piece |
| | Frame material | Steel tube (ERW quality) conforming to IS: 1161 (with latest Amendment) |
| SEAT FABRICATION | Seat material | Moulded Plywood |
| | Seat material thickness | 40 mm |
| | Density of Polyurethane foam used in seat (±2 Kg/Cub Meter) | 45 |
| | Seat upholstered with | Fabric |
| | GSM of seat cover (± 3 GSM) | 220 GSM |
| BACKREST | Backrest material | Moulded Plywood |
| FABRICATION | Density of Polyurethane foam used in Backrest (±2 Kg/Cub Meter) | 45 |
| | Backrest upholstered with | Fabric |
| DIMENSION | Seat Depth (± 5 mm) | 430 mm |
| | Seat Width (± 5 mm) | 480 mm |
| | Seat height from floor surface (± 5 mm) | 435 mm |
| | Backrest width (± 5 mm) | 490 mm |
| | Backrest height from seat (± 5 mm) | 460 mm |
| COLOUR AND FINISH | Paint Type | Ероху |
| | Polish Type | N.A |
| | Colour of Paint | Black |
| TEST REPORT AND CERTIFICATION | Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove the conformity of product to the Specification | Yes |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
| | Test reports to be furnished to buyer on demand | Yes |

Additional Specification Parameters - Chair Office (V2) (28 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|--|--|
| Additional Technical Specification (mandatory compliance): | As per the Buyer added/uploaded bid-specific scope of work / Additional Scope of Work / ATC. |

^{*} Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-------------------|--|--|-----------------|---------------------------------|
| 1 | Kundan Kumar Pandey | 208016,Central Store & Purchase Section, IIT Kanpur, GT Road, Kalyanpur 208016 (UP) | 28 | 45 |

Meeting Table (V2) (7 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य | |
|---------------|---------------------------------------|---|--|
| GENERAL | The shape of table top | Rectangular | |
| REQUIREMENT | Wire management | Without | |
| | Number of the socket box | NA | |
| | In-built sockets for LAN / INTERNET | NA | |
| | Type of understructure | Leg type | |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य | |
|---|---|---|--|
| MATERIAL | Material of table top | Three layer prelaminated particle boards of grade II type II of IS:12823/latest | |
| | Material of legs /Gable end | MS pipes with powder coated | |
| | Material of modesty panel | Metal perforated sheet | |
| DIMENSION | Length/Diameter/Major axis of tabletop | 1800 mm | |
| | Width/Minor axis of tabletop (select NA in case of the round table) ±10(mm) | 750 mm | |
| | Thickness of top ±2(mm) | 25 mm | |
| | Table height in mm (±5 mm) | 750 mm | |
| | Height of modesty panel ±5(mm) | NA | |
| | Thickness of modesty panel (in mm) ± 5% | NA | |
| | Thickness of Gable end | NA | |
| | Size/Diameter of legs (± 0[dot]5 mm) | 50 mm | |
| | Thickness of legs material | 1.6 mm | |
| COLOUR AND FINISH | Type of table top finish | Lamination | |
| | The thickness of the table top finish | 2.0 mm | |
| | Type of Leg(s) /gable end finish | As per buyer's choice | |
| | The thickness of the leg(s) /gable end finish | NA | |
| | Type of modesty panel finish | No finish | |
| The thickness of the modesty panel finish | | NA | |
| | Colour | Frosty white | |
| Packing | | Corrugated paper packing | |
| WARRANTY | Warranty period | 1 Year | |
| CERTIFICATION | Test reports to be furnished to buyer on demand | No | |

Additional Specification Parameters - Meeting Table (V2) (7 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|--|--|
| Additional Technical Specification (mandatory compliance): | As per the Buyer added/uploaded bid-specific scope of work / Additional Scope of Work / ATC. |

^{*} Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-------------------|--|--|-----------------|---------------------------------|
| 1 | Kundan Kumar Pandey | 208016,Central Store & Purchase Section, IIT Kanpur, GT Road, Kalyanpur 208016 (UP) | 7 | 45 |

Modular Work Stations (V2) (1 per seat)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---------------------------------------|--|
| GENERIC | Type of system | Tile based system (shape fit tiles), Hybrid panel based system (combination of sliding & snap fit tiles), Desk based system, Storage based system, Panel based system |
| | Type / Shape of cluster | Single Seater L Shape Cluster, Single Seater Rectangular Cluster, Single Seater Rectangular Cluster with Back to Back sitting, Double Seater C shape Cluster with Curvilinear Top, Double Seater T shape Cluster with Curvilinear Top, Double Seater Rectangular shape Cluster with Side By Side sitting, Double Seater Rectangular shape Cluster with Back to Back sitting, Four Seater H Shape Cluster with Curvilenear Top, Four Seater Plus Shape Cluster with Curvilenear Top, Four Seater Rectangular Cluster with Straight Line Side by Side Sitting, Four Seater Rectangular Cluster with 2 X 2 Opposite Sitting, Six Seater Rectangular Cluster with 3 X 3 Opposite Sitting, Three seater Rectangular cluster |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|-------------------------------|---------------------------------------|--|
| CONSTRUCTION | Wire Management for electric switch | Skirting race-way, Mounted on bottom tile or back, Below table top by cable trays, Above the table Top, Below table top |
| INSTALLATION COMMIISONNING | INSTALLATION COMMISSIONING | The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller). |
| MATERIAL | Frame material for work station | Powder coated CRCA hollow system, Powder Coated Extruded Aluminium Sections, MS tube section |
| | Work top support material | Gable end made of prelaminated particle board, Commercial Block Board BWP grade, Decorative Block Board BWP grade, Commercial Block Board MR Grade, Decorative Block Board MR Grade, MS tube section round pipe with brackets, MS tube section of Sq. pipe with brackets, CRCA round steel pipe with brackets, CRCA steel Sq. pipe with brackets, Aluminium with bracket, Prelaminated MDF |
| | Material of table top | Prelaminated particle board Grade I type II conforming to IS 12823/Latest, Prelaminated particle board Grade II type II conforming to IS 12823/Latest, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Teak wood, BWR Plywood conforming to IS 303, MDF board conforming to IS 12406/Latest, Prelaminated MDF board conorming to IS 14587/Latest |
| | Table top finish material | PVC, Paper based laminate, PU coat, Membrane, Veneer, Prelaminated, NA |
| | Thickness of table top finish | 0.4 mm, 0.6 mm, 0.72 mm, 0.8 mm, 1 mm, 1.5 mm, 3.5 mm, 4 mm, NA |
| | Thickness of under table top finish | 0.4 mm, 0.6 mm, 0.72 mm, 0.8 mm, 1 mm, 1.5 mm, 3.5 mm, 4 mm, NA |
| | Material of tiles for top | Fabric upholstered with Foam and Prelaminated particle board, Laminate, Fabric tackable, Fabric magnetic, Glass Writing board, Back painted glass tiles, Plain glass tiles, White Board, NA |
| | Material of intermediate tiles | Fabric upholstered with Foam and Prelaminated particle board, laminate, White Board, Sandwich coloured glass screen with powder coated metal brackets, laminated block - 38mm thick paper honeycomb plus 3mm mdf on each side plus decorative laminate, NA |
| | Material of bottom tiles | Metal tile powder coated, Prelaminated particle board tile, Commercial Block Board BWP grade tile, Decorative Block Board BWP grade tile, Commercial Block Board MR Grade tile, Decorative Block Board MR Grade tile, Fabric Tile, NA |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य | | |
|--|--|---|--|--|
| | Material of leg | CRCA steel Conforming to is 513 latest, ERW tube Conforming to IS 3074, ERW tube Conforming to IS 4923, Stainless Steel 202, Stainless Steel 304, Aluminium, Prelaminated particle board Conforming to is 12823/latest, M.S, NA | | |
| | Type of leg | Loop leg, Inverted U leg, Tapered Leg, Pole Type, NA | | |
| | Screen/Divider Material | Fabric tackable, Fabric magnetic, Decorative laminate, Laminated Glass, Plain Glass, Sadwiched Glass, White Marker Screen, Prelaminated particle board divider, Acrylic,Acoustic divider, NA | | |
| | Overhead Storage Provided | Overhead Storage Front Facing, Overhead Storage On Both Side i.e. on Front and Backside, No Overhead Storage | | |
| DIMENSION | Length of table top (main frame) ±10 mm | 600 mm, 750 mm, 800 mm, 900 mm, 915 mm, 1000 mm, 1050 mm, 1200 mm, 1220 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1836 mm | | |
| | Length of table top (Return Frame)± 10mm | 900 mm, 915 mm, 1050 mm, 1200 mm, 1220 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, NA (For rectangular) | | |
| | Depth of table top ± 10mm | 450 mm, 500 mm, 550 mm, 600 mm, 610 mm, 650 mm, 750 mm, 1000 mm, 1182 mm, 1200 mm, 1260 mm, 1380 mm, 1500 mm, 1560 mm, 1590 mm, 1620 mm | | |
| Thickness of table top ±2mm | | 18 mm, 25 mm, 34 mm, 36 mm, 43 mm | | |
| | Overall height of work station partition ±10mm | 750 mm, 760 mm, 900 mm, 1000 mm, 1050 mm, 1100 mm, 1150 mm, 1200 mm, 1250 mm, 1300 mm, 1350 mm, 1400 mm, 1450 mm, 1500 mm, 1550 mm, 1600 mm, 1650 mm | | |
| Thickness of side partition/panel ±2mm | | 8mm, 15 mm, 18 mm, 20 mm, 23 mm, 25 mm, 30 mm, 35 mm, 40 mm, 45 mm, 50 mm, 55 mm, 60 mm, 65 mm, 70 mm, 75 mm, NA | | |
| | Thickness of main frame ±2 mm | 15 mm, 18 mm, 20 mm, 25 mm, 30 mm, 35 mm, 40 mm, 45 mm, 50 mm, 55 mm, 60 mm, 65 mm, 70 mm, 75 mm, NA | | |
| 60 mr 50 mr | | 40 mm x 40 mm, 50 mm x 50 mm, 40 mm x 20 mm, 60 mm x 20 mm, 60 mm x 25 mm, 60 mm x 30 mm, 50 mm x 25 mm, 18 mm Dia, 25 mm Dia, 45 mm Dia, 50 mm Dia, NA | | |
| | Thickness of leg/section /material | 14 gauge, 16 gauge, 18 gauge, 20 gauge, 22 gauge, 18 mm, 25 mm, NA | | |
| KEYBOARD TRAY Material of keyboard tray | | Stainless steel, CRCA, Plastic PVC, Prelaminated particle board, Prelaminated MDF board, NA | | |
| | Material thickness of keyboard tray | 0.8 mm (for metal), 0.9 mm (for metal), 1 mm (for metal), 1-3 mm(For plastics), 18 mm, 25 mm, NA | | |
| PEDESTAL UNIT | Total number of Pedestal unit provided | 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, NA | | |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य | | |
|---------------|--|--|--|--|
| 1 | | Top supporting, Free standing full height with castor, free standing low height with castor, Free standing full height without castor, free standing low height without castor, NA | | |
| | Total Number of drawers /storage in Pedestal units | One drawer, Two drawers, Three drawers, Four drawers, One shutter, Two shutter, No Pedestal unit | | |
| CERTIFICATION | Test reports to be furnished to buyer on demand | Yes, No | | |
| WARRANTY | Warranty period | 1 Year, 2 Years, 3 Years, 4 Years, 5 Years | | |

Additional Specification Parameters - Modular Work Stations (V2) (1 per seat)

| and the control of th | | |
|--|--|--|
| Specification Parameter Name | Bid Requirement (Allowed Values) | |
| Additional Technical Specification (mandatory compliance): | As per the Buyer added/uploaded bid-specific scope of work / Additional Scope of Work / ATC. | |

^{*} Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-------------------|--|--|-----------------|---------------------------------|
| 1 | Kundan Kumar Pandey | 208016,Central Store & Purchase Section, IIT Kanpur, GT Road, Kalyanpur 208016 (UP) | 1 | 45 |

Modular Work Stations (V2) (2 per seat)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य | |
|-------------------------------|---------------------------------------|--|--|
| GENERIC | Type of system | Tile based system (shape fit tiles), Hybrid panel based system (combination of sliding & snap fit tiles), Desk based system, Storage based system, Panel based system | |
| | Type / Shape of cluster | Single Seater L Shape Cluster, Single Seater Rectangular Cluster, Single Seater Rectangular Cluster with Back to Back sitting, Double Seater C shape Cluster with Curvilinear Top, Double Seater T shape Cluster with Curvilinear Top, Double Seater Rectangular shape Cluster with Side By Side sitting, Double Seater Rectangular shape Cluster with Back to Back sitting, Four Seater H Shape Cluster with Curvilenear Top, Four Seater Plus Shape Cluster with Curvilenear Top, Four Seater Rectangular Cluster with Straight Line Side by Side Sitting, Four Seater Rectangular Cluster with 2 X 2 Opposite Sitting, Six Seater Rectangular Cluster with 3 X 3 Opposite Sitting, Three seater Rectangular cluster | |
| CONSTRUCTION | Wire Management for electric switch | Skirting race-way, Mounted on bottom tile or back, Below table top by cable trays, Above the table Top, Below table top | |
| INSTALLATION COMMIISONNING | INSTALLATION COMMISSIONING | The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller). | |
| MATERIAL | Frame material for work station | Powder coated CRCA hollow system, Powder Coated Extruded Aluminium Sections, MS tube section | |
| | Work top support material | Gable end made of prelaminated particle board, Commercial Block Board BWP grade, Decorative Block Board BWP grade, Commercial Block Board MR Grade, Decorative Block Board MR Grade, MS tube section round pipe with brackets, MS tube section of Sq. pipe with brackets, CRCA round steel pipe with brackets, CRCA steel Sq. pipe with brackets, Aluminium with bracket, Prelaminated MDF | |
| | Material of table top | Prelaminated particle board Grade I type II conforming to IS 12823/Latest, Prelaminated particle board Grade II type II conforming to IS 12823/Latest, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Teak wood, BWR Plywood conforming to IS 303, MDF board conforming to IS 12406/Latest, Prelaminated MDF board conorming to IS 14587/Latest | |
| | Table top finish material | PVC, Paper based laminate, PU coat, Membrane, Veneer, Prelaminated, NA | |
| | Thickness of table top | 0.4 mm, 0.6 mm, 0.72 mm, 0.8 mm, 1 mm, 1.5 mm, 3.5 mm, 4 mm, NA | |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य | |
|-------------------------|--|--|--|
| | Thickness of under table top finish | 0.4 mm, 0.6 mm, 0.72 mm, 0.8 mm, 1 mm, 1.5 mm, 3.5 mm, 4 mm, NA | |
| | Material of tiles for top | Fabric upholstered with Foam and Prelaminated particle board, Laminate, Fabric tackable, Fabric magnetic, Glass Writing board, Back painted glass tiles, Plain glass tiles, White Board, NA | |
| | Material of intermediate tiles | Fabric upholstered with Foam and Prelaminated particle board, laminate, White Board, Sandwich coloured glass screen with powder coated metal brackets, laminated block - 38mm thick paper honeycomb plus 3mm mdf on each side plus decorative laminate, NA | |
| | Material of bottom tiles | Metal tile powder coated, Prelaminated particle board tile, Commercial Block Board BWP grade tile, Decorative Block Board BWP grade tile, Commercial Block Board MR Grade tile, Decorative Block Board MR Grade tile, Fabric Tile, NA | |
| | Material of leg CRCA steel Conforming to is 51. Conforming to IS 3074, ERW tubes 4923, Stainless Steel 202, Stain Aluminium, Prelaminated partice to is 12823/latest, M.S, NA | | |
| | Type of leg | Loop leg, Inverted U leg, Tapered Leg, Pole Type, NA | |
| Screen/Divider Material | | Fabric tackable, Fabric magnetic, Decorative laminate, Laminated Glass, Plain Glass, Sadwiched Glass, White Marker Screen, Prelaminated particle board divider, Acrylic,Acoustic divider, NA | |
| | Overhead Storage Provided | Overhead Storage Front Facing, Overhead Storage On Both Side i.e. on Front and Backside, No Overhead Storage | |
| DIMENSION | Length of table top (main frame) ±10 mm | 600 mm, 750 mm, 800 mm, 900 mm, 915 mm, 1000 mm, 1050 mm, 1200 mm, 1220 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1836 mm | |
| | Length of table top (Return Frame)± 10mm | 900 mm, 915 mm, 1050 mm, 1200 mm, 1220 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, NA (For rectangular) | |
| | Depth of table top ± 10mm | 450 mm, 500 mm, 550 mm, 600 mm, 610 mm, 650 mm, 750 mm, 1000 mm, 1182 mm, 1200 mm, 1260 mm, 1380 mm, 1500 mm, 1560 mm, 1590 mm, 1620 mm | |
| | Thickness of table top ±2mm | 18 mm, 25 mm, 34 mm, 36 mm, 43 mm | |
| | Overall height of work station partition ±10mm | 750 mm, 760 mm, 900 mm, 1000 mm, 1050 mm, 1100 mm, 1150 mm, 1200 mm, 1250 mm, 1300 mm, 1350 mm, 1400 mm, 1450 mm, 1500 mm, 1550 mm, 1600 mm, 1650 mm | |
| | Thickness of side partition/panel ±2mm | 8mm, 15 mm, 18 mm, 20 mm, 23 mm, 25 mm, 30 mm, 35 mm, 40 mm, 45 mm, 50 mm, 55 mm, 60 mm, 65 mm, 70 mm, 75 mm, NA | |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य | |
|---------------|---|--|--|
| | Thickness of main frame ±2 mm | 15 mm, 18 mm, 20 mm, 25 mm, 30 mm, 35 mm, 40 mm, 45 mm, 50 mm, 55 mm, 60 mm, 65 mm, 70 mm, 75 mm, NA | |
| | leg size/Section | 40 mm x 40 mm, 50 mm x 50 mm, 40 mm x 20 mm, 60 mm x 20 mm, 60 mm x 25 mm, 60 mm x 30 mm, 50 mm x 25 mm, 18 mm Dia, 25 mm Dia, 45 mm Dia, 50 mm Dia, NA | |
| | Thickness of leg/section /material | 14 gauge, 16 gauge, 18 gauge, 20 gauge, 22 gauge, 18 mm, 25 mm, NA | |
| KEYBOARD TRAY | Material of keyboard tray | Stainless steel, CRCA, Plastic PVC, Prelaminated particle board, Prelaminated MDF board, NA | |
| | Material thickness of keyboard tray | 0.8 mm (for metal), 0.9 mm (for metal), 1 mm (for metal), 1-3 mm(For plastics), 18 mm, 25 mm, NA | |
| PEDESTAL UNIT | Total number of Pedestal unit provided | 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, NA | |
| | Construction of pedestal | Top supporting, Free standing full height with castor, free standing low height with castor, Free standing full height without castor, free standing low height without castor, NA | |
| | Total Number of drawers /storage in Pedestal units | One drawer, Two drawers, Three drawers, Four drawers, One shutter, Two shutter, No Pedestal unit | |
| CERTIFICATION | Test reports to be furnished to buyer on demand | Yes, No | |
| WARRANTY | Warranty period | 1 Year, 2 Years, 3 Years, 4 Years, 5 Years | |

Additional Specification Parameters - Modular Work Stations (V2) (2 per seat)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|--|--|
| Additional Technical Specification (mandatory compliance): | As per the Buyer added/uploaded bid-specific scope of work / Additional Scope of Work / ATC. |

^{*} Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-------------------|--|--|-----------------|---------------------------------|
| 1 | Kundan Kumar Pandey | 208016,Central Store & Purchase Section, IIT Kanpur, GT Road, Kalyanpur 208016 (UP) | 2 | 45 |

Modular Work Stations (V2) (4 per seat)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य | | |
|-------------------------------|---------------------------------------|--|--|--|
| GENERIC | Type of system | Tile based system (shape fit tiles), Hybrid panel based system (combination of sliding & snap fit tiles), Desk based system, Storage based system, Panel based system | | |
| | Type / Shape of cluster | Single Seater L Shape Cluster, Single Seater Rectangular Cluster, Single Seater Rectangular Cluster with Back to Back sitting, Double Seater C shape Cluster with Curvilinear Top, Double Seater T shape Cluster with Curvilinear Top, Double Seater Rectangular shape Cluster with Side By Side sitting, Double Seater Rectangular shape Cluster with Back to Back sitting, Four Seater H Shape Cluster with Curvilenear Top, Four Seater Plus Shape Cluster with Curvilenear Top, Four Seater Rectangular Cluster with Straight Line Side by Side Sitting, Four Seater Rectangular Cluster with 2 X 2 Opposite Sitting, Six Seater Rectangular Cluster with 3 X 3 Opposite Sitting, Three seater Rectangular cluster | | |
| CONSTRUCTION | Wire Management for electric switch | Skirting race-way, Mounted on bottom tile or back, Below table top by cable trays, Above the table Top, Below table top | | |
| INSTALLATION COMMIISONNING | INSTALLATION COMMISSIONING | The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller). | | |
| MATERIAL | Frame material for work station | Powder coated CRCA hollow system, Powder Coated Extruded Aluminium Sections, MS tube section | | |
| | | | | |

| pecification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|--|---------------------------------------|--|
| | Work top support material | Gable end made of prelaminated particle board, Commercial Block Board BWP grade, Decorative Block Board BWP grade, Commercial Block Board MR Grade, Decorative Block Board MR Grade, MS tube section round pipe with brackets, MS tube section of Sq. pipe with brackets, CRCA round steel pipe with brackets, CRCA steel Sq. pipe with brackets, Aluminium with bracket, Prelaminated MDF |
| | Material of table top | Prelaminated particle board Grade I type II conforming to IS 12823/Latest, Prelaminated particle board Grade II type II conforming to IS 12823/Latest, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Teak wood, BWR Plywood conforming to IS 303, MDF board conforming to IS 12406/Latest, Prelaminated MDF board conorming to IS 14587/Latest |
| | Table top finish material | PVC, Paper based laminate, PU coat, Membrane, Veneer, Prelaminated, NA |
| Thickness of table top finish Thickness of under table top finish | | 0.4 mm, 0.6 mm, 0.72 mm, 0.8 mm, 1 mm, 1.5 mm, 3.5 mm, 4 mm, NA |
| | | 0.4 mm, 0.6 mm, 0.72 mm, 0.8 mm, 1 mm, 1.5 mm, 3.5 mm, 4 mm, NA |
| | Material of tiles for top | Fabric upholstered with Foam and Prelaminated particle board, Laminate, Fabric tackable, Fabric magnetic, Glass Writing board, Back painted glass tiles, Plain glass tiles, White Board, NA |
| | Material of intermediate tiles | Fabric upholstered with Foam and Prelaminated particle board, laminate, White Board, Sandwich coloured glass screen with powder coated metal brackets, laminated block - 38mm thick paper honeycomb plus 3mm mdf on each side plus decorative laminate, NA |
| | Material of bottom tiles | Metal tile powder coated, Prelaminated particle board tile, Commercial Block Board BWP grade tile, Decorative Block Board BWP grade tile, Commercial Block Board MR Grade tile, Decorative Block Board MR Grade tile, Fabric Tile, NA |
| | Material of leg | CRCA steel Conforming to is 513 latest, ERW tube Conforming to IS 3074, ERW tube Conforming to IS 4923, Stainless Steel 202, Stainless Steel 304, Aluminium, Prelaminated particle board Conforming to is 12823/latest, M.S, NA |
| | Type of leg | Loop leg, Inverted U leg, Tapered Leg, Pole Type, NA |
| | Screen/Divider Material | Fabric tackable, Fabric magnetic, Decorative laminate, Laminated Glass, Plain Glass, Sadwiched Glass, White Marker Screen, Prelaminated particle board divider, Acrylic,Acoustic divider, NA |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य | |
|------------------|---|--|--|
| | Overhead Storage Provided | Overhead Storage Front Facing, Overhead Storage On Both Side i.e. on Front and Backside, No Overhead Storage | |
| DIMENSION | Length of table top (main frame) ±10 mm | 600 mm, 750 mm, 800 mm, 900 mm, 915 mm, 1000 mm, 1050 mm, 1200 mm, 1220 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1836 mm | |
| | Length of table top (Return Frame)± 10mm | 900 mm, 915 mm, 1050 mm, 1200 mm, 1220 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, NA (For rectangular) | |
| | Depth of table top ± 10mm | 450 mm, 500 mm, 550 mm, 600 mm, 610 mm, 650 mm, 750 mm, 1000 mm, 1182 mm, 1200 mm, 1260 mm, 1380 mm, 1500 mm, 1560 mm, 1590 mm, 1620 mm | |
| | Thickness of table top ±2mm | 18 mm, 25 mm, 34 mm, 36 mm, 43 mm | |
| | Overall height of work station partition ±10mm | 750 mm, 760 mm, 900 mm, 1000 mm, 1050 mm, 1100 mm, 1150 mm, 1200 mm, 1250 mm, 1300 mm, 1350 mm, 1400 mm, 1450 mm, 1500 mm, 1550 mm, 1600 mm, 1650 mm | |
| | Thickness of side partition/panel ±2mm | 8mm, 15 mm, 18 mm, 20 mm, 23 mm, 25 mm, 30 mm, 35 mm, 40 mm, 45 mm, 50 mm, 55 mm, 60 mm, 65 mm, 70 mm, 75 mm, NA | |
| | Thickness of main frame ±2 mm | 15 mm, 18 mm, 20 mm, 25 mm, 30 mm, 35 mm, 40 mm, 45 mm, 50 mm, 55 mm, 60 mm, 65 mm, 70 mm, 75 mm, NA | |
| leg size/Section | | 40 mm x 40 mm, 50 mm x 50 mm, 40 mm x 20 mm, 60 mm x 20 mm, 60 mm x 25 mm, 60 mm x 30 mm, 50 mm x 25 mm, 18 mm Dia, 25 mm Dia, 45 mm Dia, 50 mm Dia, NA | |
| | Thickness of leg/section /material | 14 gauge, 16 gauge, 18 gauge, 20 gauge, 22 gauge, 18 mm, 25 mm, NA | |
| KEYBOARD TRAY | Material of keyboard tray | Stainless steel, CRCA, Plastic PVC, Prelaminated particle board, Prelaminated MDF board, NA | |
| | Material thickness of keyboard tray | 0.8 mm (for metal), 0.9 mm (for metal), 1 mm (for metal), 1-3 mm(For plastics), 18 mm, 25 mm, NA | |
| PEDESTAL UNIT | Total number of Pedestal unit provided | 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, NA | |
| | Construction of pedestal | Top supporting, Free standing full height with castor, free standing low height with castor, Free standing full height without castor, free standing low height without castor, NA | |
| | Total Number of drawers /storage in Pedestal units | One drawer, Two drawers, Three drawers, Four drawers, One shutter, Two shutter, No Pedestal unit | |
| CERTIFICATION | Test reports to be furnished to buyer on demand | Yes, No | |
| WARRANTY | Warranty period | 1 Year, 2 Years, 3 Years, 4 Years, 5 Years | |

Additional Specification Parameters - Modular Work Stations (V2) (4 per seat)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|--|--|
| Additional Technical Specification (mandatory compliance): | As per the Buyer added/uploaded bid-specific scope of work / Additional Scope of Work / ATC. |

^{*} Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-------------------|--|--|-----------------|---------------------------------|
| 1 | Kundan Kumar Pandey | 208016,Central Store & Purchase Section, IIT Kanpur, GT Road, Kalyanpur 208016 (UP) | 4 | 45 |

Buyer added Bid Specific Additional Scope of Work

| S.No.क्र.सं | Document Title | Description | Applicable/रिवर्स प्रभार के अनुसार जीएसटी i.r.o. Items |
|-------------|--|--|---|
| 1 | Additional Technical Specification View | Additional Technical Specification (mandatory compliance): | Modular Work Stations (V2)(4) |

The uploaded document only contains Buyer specific Additional Scope of Work and / or Drawings for the bid items added with due approval of Buyer's competent authority. Buyer has certified that these additional scope and drawings are generalized and would not lead to any restrictive bidding.

Special terms and conditions-Version:1 effective from 29-03-2023 for category Modular Work Stations (V2)

 After award of contract- Successful bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful bidder shall submit Detailed Design Drawing for Buyers approval within 7 working days of award of contract .Buyer shall either approve the Drawings or will provide complete list of modification required in the drawings within 7 working days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing-the delivery period shall be re-fixed without LD for the period of delay in approval of Drawing.

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Generic

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 2 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

3. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

4. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

5. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

6. Generic

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

7. Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

8. Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

9. Generic

- 1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
- 2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
- 3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

10. Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

i) The Seller fails to comply with any material term of the Contract.

- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

11. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

12. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

13. Financial Criteria

NET WORTH: Net Worth of the OEM should be positive as per the last audited financial statement.

14. Scope of Supply

Scope of supply (Bid price to include all cost components): Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

15. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

16. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

17. Turnover

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

18. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

19. Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

20. Warranty

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

21. Past Project Experience

Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

22. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

- 1. Ensure to specify the Make and model of the offered Item.
- 2. Mere Reproduction of the asked specification without any supporting official / printed brochure of the off ered product may lead to rejection of bid.
- 3. Quotations may be submitted only by the 'Original Equipment Manufacturer' or their 'Authorized Dealer
- s'. Quotations from other than Authorized Dealers or Resellers will not be considered.
- 4. Participating bidders can ignore the Make/Model/Brand name (if mentioned anywhere in the bid docume nt) while participating in the bid. Bidders can quote for equivalent products in the bid.
- 5. Provide at least 2 orders for the same quoted item issued by any of IITs, NITs or any other government o rganization.

23. Buyer Added Bid Specific ATC

Buyer uploaded ATC document Click here to view the file.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to

- exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to gualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process.
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---